

RESZOVA Ye. V.

RESZOVA, J. V. AND SLONIMSKY, G. L. (USSR)

(family of)

O vzaimnoi rastvorimosti polimerov. V. Mekhano-khimicheskoe
sobmeshcheni

Mutual solubility of polymers. V. Mechano-chemical compatibility
Vysokomol. Soed. 1/4:534-8 (1959)

report presented at the Intl. Symposium on Macromolecular Chemistry, Moscow,
14-18 June 60.

RESU, O.

TECHNOLOGY

Periodicals: METALURGIA ȘI CONSTRUCTIA DE MASINI. Vol. 10, no. 6, June 1958

RESU, O. Contribution of the Scientific Association of Engineers and Technicians to the development of Rumanian socialistic industry. p. 463

Monthly List of East European Accessions (EEAI) 10, Vol. 8, No. 2,
February 1959, Unclass.

Resukhina, T. N.

The congruent unstable equilibrium with hydrogen and the thermodynamic characteristics of CuWO_4 . T. A. Vasil'eva, Ya. I. Gerasimova, Yu. P. Simanov, and T. N. Resukhina (M. V. Lomonosov State Univ., Moscow). *Zhur. Fiz. Khim.* 31, 825-30 (1957).—The m.p. of the CuWO_4 was 930°. CuWO_4 is somewhat volatile without decomposition when heated in *vacuo*, and the x-ray pictures of samples heated in air and in *vacuo* are identical. Its vapor pressure up to 1200°K. is expressed by $\log p = -(2714.1/T) + 0.2474$, and the ΔH of its sublimation was 12,416 cal./mol. CuWO_4 crystal in the monoclinic system, with the lattice constants $a = 4.69$, $b = 4.88$, $c = 5.82$ Å., $\beta = 88^\circ$. The CuWO_4 is reduced by H in 4 stages, through the intermediate compds. $\text{WO}_{4.40}$, $\text{WO}_{4.20}$, WO_3 , to W. The energy of formation of CuWO_4 from gaseous atoms was $H_{\text{fms}} = -804,250$ cal./mol. and $S_{\text{fms}} = -215.04$ cal./mol. degree.

W. M. Stenberg

4E4
4E3d
4E2C

// RB

W. M.

RESULOVIC, H.; ZIVANOV, N.; JOVANDIC, P.

Characteristics of the composition of an adsorptive complex
of a series of soils developed on Triassic limestone. Zemljiste
biljka 12 no.1/3:95-102 Ja-D '63.

1. Agricultural Faculty of the University of Sarajevo, Sarajevo.

VLAHIAN, M., PUNJOVIC, H.

Influence of the microconfiguration of soil surfaces on the intensity of the excessive soil moisture. Zemljista biljka 12 no.1/3:167-174 Jan '63.

1. Agricultural Faculty of the University of Sarajevo, Sarajevo.

REŠKLOVIC, H.

Methods of determining oxidation-reduction potential of soils.
Zemljiste biljka 12 no.1/3:183-189 Jan '63.

1. Agricultural Faculty of the University of Sarajevo, Sarajevo.

RESVOV, K.M., kand.tekhn.nauk; PAVLYUCHUK, A.I., kand.tekhn.nauk; PANIN, G. I.;
VOLOGZHANINOV, N.I.; SHKOL'NIK, A.M.; YAKOVLEV, I.S.; VOLKOV, L.I.

Use of high-frequency induction heating for welding plastic
carburetor floats. Avt. prom. no.5:41-43 My '60. (MIRA 14:3)

1. Tsentral'nyy nauchno-issledovatel'skiy i konstruktorskiy institut
toplivoy apparatury avtotraktornykh i statsionarnykh dvigateley
(TsNITA).

(Plastics)

(Induction heating)

SLIVKO, M.M.; VYALOV, O.S., professor, redaktor; LAZARENKO, Ye.K., professor, redaktor; PORFIR'YEV, V.B., professor, redaktor; HESVOY, D.P., dotsent, redaktor; SOBOLEV, V.S., professor, redaktor; LYAVKO, A.V., tekhnicheskii redaktor.

[Study of tourmaline in some deposits of the U.S.S.R.] Issledovanie turmalinov nekotorykh mestopozhdenii SSSR, L'vov, Izd-vo L'vovskogo universiteta, 1955. 124 p. (MLRA 9:5)

1. Deystvitel'nyy chlen AN USSR (for Vyalev). 2. Chlen-korrespondent AN USSR (for Lazarenko, Porfir'yev, Sobolev). (Tourmaline)

MITs, V.N.; ~~RES'YAN~~, A.K.; REDZIO, A.G.

Radiotelephone for mines. Trudy MakNII 14. Vop. gor. elektromekh.
no.5:198-208 '62. (MIRA 16:6)

(Radiotelephone) (Mine communications)

1ST AND 2ND ORDERS		3RD AND 4TH ORDERS	
PROCEDURES AND PROPERTIES INDEX			
COMMON ELEMENTS	BC B-III-3 Subject compound is soluble. T. Chomov and J. Chomov. Chemical Abstracts, 1954, 48, 555-556. 1955, 49, 1000-1001. 1956, 50, 1000-1001. 1957, 51, 1000-1001. 1958, 52, 1000-1001. 1959, 53, 1000-1001. 1960, 54, 1000-1001. 1961, 55, 1000-1001. 1962, 56, 1000-1001. 1963, 57, 1000-1001. 1964, 58, 1000-1001. 1965, 59, 1000-1001. 1966, 60, 1000-1001. 1967, 61, 1000-1001. 1968, 62, 1000-1001. 1969, 63, 1000-1001. 1970, 64, 1000-1001. 1971, 65, 1000-1001. 1972, 66, 1000-1001. 1973, 67, 1000-1001. 1974, 68, 1000-1001. 1975, 69, 1000-1001. 1976, 70, 1000-1001. 1977, 71, 1000-1001. 1978, 72, 1000-1001. 1979, 73, 1000-1001. 1980, 74, 1000-1001. 1981, 75, 1000-1001. 1982, 76, 1000-1001. 1983, 77, 1000-1001. 1984, 78, 1000-1001. 1985, 79, 1000-1001. 1986, 80, 1000-1001. 1987, 81, 1000-1001. 1988, 82, 1000-1001. 1989, 83, 1000-1001. 1990, 84, 1000-1001. 1991, 85, 1000-1001. 1992, 86, 1000-1001. 1993, 87, 1000-1001. 1994, 88, 1000-1001. 1995, 89, 1000-1001. 1996, 90, 1000-1001. 1997, 91, 1000-1001. 1998, 92, 1000-1001. 1999, 93, 1000-1001. 2000, 94, 1000-1001. 2001, 95, 1000-1001. 2002, 96, 1000-1001. 2003, 97, 1000-1001. 2004, 98, 1000-1001. 2005, 99, 1000-1001. 2006, 100, 1000-1001. 2007, 101, 1000-1001. 2008, 102, 1000-1001. 2009, 103, 1000-1001. 2010, 104, 1000-1001. 2011, 105, 1000-1001. 2012, 106, 1000-1001. 2013, 107, 1000-1001. 2014, 108, 1000-1001. 2015, 109, 1000-1001. 2016, 110, 1000-1001. 2017, 111, 1000-1001. 2018, 112, 1000-1001. 2019, 113, 1000-1001. 2020, 114, 1000-1001. 2021, 115, 1000-1001. 2022, 116, 1000-1001. 2023, 117, 1000-1001. 2024, 118, 1000-1001. 2025, 119, 1000-1001. 2026, 120, 1000-1001. 2027, 121, 1000-1001. 2028, 122, 1000-1001. 2029, 123, 1000-1001. 2030, 124, 1000-1001. 2031, 125, 1000-1001. 2032, 126, 1000-1001. 2033, 127, 1000-1001. 2034, 128, 1000-1001. 2035, 129, 1000-1001. 2036, 130, 1000-1001. 2037, 131, 1000-1001. 2038, 132, 1000-1001. 2039, 133, 1000-1001. 2040, 134, 1000-1001. 2041, 135, 1000-1001. 2042, 136, 1000-1001. 2043, 137, 1000-1001. 2044, 138, 1000-1001. 2045, 139, 1000-1001. 2046, 140, 1000-1001. 2047, 141, 1000-1001. 2048, 142, 1000-1001. 2049, 143, 1000-1001. 2050, 144, 1000-1001. 2051, 145, 1000-1001. 2052, 146, 1000-1001. 2053, 147, 1000-1001. 2054, 148, 1000-1001. 2055, 149, 1000-1001. 2056, 150, 1000-1001. 2057, 151, 1000-1001. 2058, 152, 1000-1001. 2059, 153, 1000-1001. 2060, 154, 1000-1001. 2061, 155, 1000-1001. 2062, 156, 1000-1001. 2063, 157, 1000-1001. 2064, 158, 1000-1001. 2065, 159, 1000-1001. 2066, 160, 1000-1001. 2067, 161, 1000-1001. 2068, 162, 1000-1001. 2069, 163, 1000-1001. 2070, 164, 1000-1001. 2071, 165, 1000-1001. 2072, 166, 1000-1001. 2073, 167, 1000-1001. 2074, 168, 1000-1001. 2075, 169, 1000-1001. 2076, 170, 1000-1001. 2077, 171, 1000-1001. 2078, 172, 1000-1001. 2079, 173, 1000-1001. 2080, 174, 1000-1001. 2081, 175, 1000-1001. 2082, 176, 1000-1001. 2083, 177, 1000-1001. 2084, 178, 1000-1001. 2085, 179, 1000-1001. 2086, 180, 1000-1001. 2087, 181, 1000-1001. 2088, 182, 1000-1001. 2089, 183, 1000-1001. 2090, 184, 1000-1001. 2091, 185, 1000-1001. 2092, 186, 1000-1001. 2093, 187, 1000-1001. 2094, 188, 1000-1001. 2095, 189, 1000-1001. 2096, 190, 1000-1001. 2097, 191, 1000-1001. 2098, 192, 1000-1001. 2099, 193, 1000-1001. 2100, 194, 1000-1001. 2101, 195, 1000-1001. 2102, 196, 1000-1001. 2103, 197, 1000-1001. 2104, 198, 1000-1001. 2105, 199, 1000-1001. 2106, 200, 1000-1001. 2107, 201, 1000-1001. 2108, 202, 1000-1001. 2109, 203, 1000-1001. 2110, 204, 1000-1001. 2111, 205, 1000-1001. 2112, 206, 1000-1001. 2113, 207, 1000-1001. 2114, 208, 1000-1001. 2115, 209, 1000-1001. 2116, 210, 1000-1001. 2117, 211, 1000-1001. 2118, 212, 1000-1001. 2119, 213, 1000-1001. 2120, 214, 1000-1001. 2121, 215, 1000-1001. 2122, 216, 1000-1001. 2123, 217, 1000-1001. 2124, 218, 1000-1001. 2125, 219, 1000-1001. 2126		

CISLO, Mieczysław; RESZCZYŃSKI, Andrzej

Perforation of a dermoid cyst of the ovary into the urinary bladder.
Ginek. pol. 33 no.5:595-600 '62.

APPROVED FOR RELEASE: 06/20/2000 CIA-RDP86-00513R001444710012-7"

KRYNSKI, Stefan; BECLA, Eugeniusz; KAMIENSKA, Karolina; RESZCZYNSKA-MICHALIK, Danuta

Differences and similarities in the composition of the staphylococcal flora of mothers and infants in an obstetric ward.
Ginek. pol. 35 no.1:1-7 Ja-F'64

1. Z Zakladu Mikrobiologii AM w Gdansk (kierownik: prof.dr. med. S.Krynski) i z II Kliniki Poloznictwa i Chorob Kobietych AM w Gdansk (kierownik: prof.dr.med. W.Gromadzki).

*

MICHALSKA, Ewa; RESZCZYNSKA-MICHALIKOWA, Danuta; WRCCZYNSKI, Marian

Bacterial contamination of the apparatus for inhalation
anesthesia. Pol. przegl. chir. 35 no.10/11:1057-1059 '63.

1. Z Zakładu Mikrobiologii AM w Gdansk Kierownik: prof.
dr S. Krynski z Oddziału Anestezjologicznego Kierownik: dr
K. Oppeln-Bronikowski i z II Kliniki Chirurgicznej AM w
Gdansk Kierownik: prof. dr K. Debicki.

(ANESTHESIA, INHALATION)

(EQUIPMENT AND SUPPLIES)

(MICROBIOLOGY) (ANTISEPSIS)

(CROSS INFECTION)

HOWOSAD, Karolina. REJCHMAN, Andrzej; Jankowski, Gabriel;
WETTERENNER, Leopold

Application of vacuum extractors in clinical obstetrics.
Ginek. Pol. 36 no.2:273-276 Ag '65.

I. Z i Kliniki Położnictwa i Chorob Kobietych Akademii Medycznej
wrocławia (kierownik: prof. dr. med. K. Howosad).

RESEARCH, 1101

Air technology questions of agricultural storage buildings. Épületgépészet
13 no.5:185-188 0 '64.

RESZEGH, Jozsef

Organization and experimental introduction of home care of patients.
Nepogezssegugy 39 no.8-9:Aug-Sept 58.

(PUBLIC HEALTH NURSING

in Hungary, organiz. & exper. introduction of home care
(Hun))

RESZELA, M.

"Efficiency depends upon man; let us help him by providing sound guidance,"
Gospodaka Zbozowa, Warszawa, Vol 5, No 6, June 1954, p. 26.

SO: Eastern European Accessions List, Vol 3, No 11, Nov 1954, L.C.

RESZEGI, Ferenc

Cooperation among trade unions. Munka 14 no. 2:3 F '64.

1. EFEDOSZ elnöke.

NURIDSANY, Janos; RESZELY, Miklos

Programming of mechanical assembly lines in the pharmaceutical industry. Munka szemle 8 no.4:17-21 Ap '64.

117 AND 2ND COVER										118 AND 3RD COVER									
PROCESSES AND PROPERTIES INDEX																			
BC B-14-3 Influence of the distillation apparatus and of other factors on the quality of spirit. T. OGDEN and J. HARRISON. (Research Chem., 1959, 14, 428-430, 437-438). The quality and potentiality of potato spirit obtained in 120 distillates have been studied. A satisfactory product is obtainable only when steam potatoes are used and infection of the mash is avoided. The spirit obtained from chemical fermentation, characterized by production of hydrogen sulphide, foam, etc., is invariably of poor quality. The greater the concentration of alcohol obtained from a given still, the poorer is the product. Only continuous-process apparatus should be used; periodic and two-column stills give inferior products. The material used for the construction of stills is of minor importance. The possibility of spirit depends chiefly on the absence of butyraldehyde and other aldehydes and acids. The denaturation of potestoments by rectified spirit is due chiefly to butyraldehyde. R. TROUSSEAU.																			
150-51A METALLURGICAL LITERATURE CLASSIFICATION																			
150-51A METALLURGICAL LITERATURE CLASSIFICATION										150-51A METALLURGICAL LITERATURE CLASSIFICATION									

1ST AND 2ND ORDERS																										3RD AND 4TH ORDERS																									
PROCESSES AND PROPERTIES INDEX																																																			
Effect of distilling apparatus and other factors on the quality of spirit. T. CHREJANCE AND J. HROBATHIAN. <i>Practical Chem.</i> 10, 415-20, 437-48(1950); cf. C. I. 23, 5200. —Unit process app. should be eliminated from the distillery industry, because it gives poor spirit. The two-column app. assures a spirit of better quality than the one-column app. The nature of the material used for the construction of the app. has but little significance on the quality of spirit. Poor taste of the spirit is the resultant of all the components which enter it as impurities. Furfural has the strongest influence; next in effect are strength of the spirit, quantity of aldehydes and acidity. Other components seem to have rather weak effect. Speed with which spirit decolorizes. KNO₃ degrades above all on the quantity of furfural. A. C. ZACHLIN.																																																			
650-55.6 METALLURGICAL LITERATURE CLASSIFICATION																																																			

16

Processes and Properties Index

Sulfur compounds in alcohol. T. Chiriac and J. Mezelink. *French Chem.* 10, 304-31 (1934).— MeCH_3S and MeCH_2S are formed when 0.025-5% MeCHO in 10-85% alc. is oxid. with H_2S , which is no longer detectable in the solns. after 8 days at room temp. The same process takes place during the alc. fermentation of sucrose. MeCH_3S is decompd. into MeCHO and H_2S during rectification, but is gradually regenerated in the distn. to yield products which impart a disagreeable odor and taste to the alc.

B. C. A.

ABO-SLO METALLURGICAL LITERATURE CLASSIFICATION

Amine compounds, and the composition of the sediments in meters and alcohol reservoirs. T. Chiriac and J. Reuzémin. *Procyon Chem.* 10, 304 (1984).—(Unidentified amines may impart an unpleasant taste and odor to rectified alc. The sediments forming in metal containers consist chiefly of sulfides of Fe or Cu, with traces of SO₂, CN⁻, Pb and Sn. Resistance to corrosion by alc. conta. MeCHS decreases in the order Al, Sn, Pb, brass, Cu, Zn, Fe.
B. C. A.

1. 1943-1944. 1944-1945. 1945-1946.

A case of so-called adamantinoma of the jaw. Pol. Jyg. Lek.
1946. 43:1655-1658. 26. 0. 1946.

1. 1. Kliniki Urazowo-Ortopedycznej i Oddziału Badzenia
Lekarzy (Kierownik: prof. dr. med. S. Łukasik) i z Pracowni
Histopatologicznej Szpitala Miejskiego Nr. 4 w Warszawie
(kierownik: prof. dr. med. J. J. Dąbrowska).

RESZEL, Irena

The range of normal contents of alkaline phosphatase in blood cells of normal subjects. Pol. med. wewnet. 32 no.7:863-865 '62.

1. Z III Kliniki Chorob Wewnętrznych AM w Poznaniu p.o. Kierownik:
doc. dr med. M. Rozwadowska-Dowzenkova.
(ALKALINE PHOSPHATASE) (BLOOD CHEMICAL ANALYSIS)

LABENDZINSKI, Franciszek; RESZELOWA, Irena; RUDNICKA, Maria;
WOJCIECHOWSKA, Maria

Infectious mononucleosis. Clinical and seroepidemiological
investigations among Poznan youth during 1954-57. Poznan.tow.
przyjaciol nauk., wyd. lek. 17 no.6:1-19 '59.
(INFECTIOUS MONONUCLEOSIS in adolescence)

KRANITZ, Lajos; MURIDGANY, Janos; RESZELY, Miklos; SOMOS, Tibor

Work organization, production control, programming. Munka szerte
8 no.12:19-23 D '64.

RESZETOW, LEONID N.

Zasady Racjonalnego Projektowania
Mechanizmów, Leonid N. Reszetow.
Arch. Budowy Maszyn, No. 1, 1957, pp.
1-22. In Polish, with summaries in Eng-
lish and Russian. Development of a
method for ensuring reliable performance
in a mechanism (wedge, cam, yoke, spur
gears, planetary gearing, etc.) with large
tolerances in the dimensions of its parts,
by selection of a suitable design. For this
purpose, the mechanism should be stati-
cally determinable - i.e., it should contain
no passive joints.

any

ROSZKA, W. - Rolnik Spoldzielca. - Warszawa

The left hand knows not what the right hand is doing. p. 5.

SO:: Monthly list of East European Accessions List, (EEAL), LC, Vol. 4, No. 11
Nov. 1955, Uncl.

RESZKA, W.

RESZKA, W. Method of work in Rawicz District. p. 5. Vol. 9, no. 5, Jan. 1956.
ROLNIK SPOLEDZIELCA. Warszawa, Poland.

SOURCE: East European Accessions List (EEAL) Vol. 6, No. 4--April 1957

RESZKA, W.

Real difficulties met by the Rzeczckow Collective Farm in purchasing hogs, p. 29.
(POLNIK SPOLDZIELCA, Warszawa, Vol. 7, no. 21, Nov. 1954.)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 4, No. 6, Jun. 1955,
Uncl.

MANICKI, Jerzy; SIERPINSKI, Maciej; STANKIEWICZ, Lech; RESZKE, Halina;
ZIENKIEWICZ, Konrad.

The effect of high-fat diet on protein absorption in patients with
esophageal strictures. Polski tygod. lek. 11 no.2:49-52 9 Jan 56.

1. Z II Kliniki Chirurgicznej A.M. w Warszawie: kier: Kliniki:
prof. dr. med. Jan Mossakowski. Jablonna k. Warszawy, ul.
Modlińska 63.

(ESOPHAGUS, stenosis

protein metab. in, eff. of high-fat diet)

(PROTEIN, metab.

in stenosis of esophagus, eff. of high-fat diet)

(DIETS

high-fat, eff. on protein metab. in esophageal stenosis)

(FATS, eff.

high-fat diet, eff. on protein metab. in esophageal stenosis)

SZKLARSKA, Zofia; RESZKE, Halina

Case of variation of the clinical picture in latent focus of infection. Polski tygod. lek. 9 no.13:401-402 29 Mar 54.

1. Z I oddzialu wewnetrznego Szpitala Miejskiego Nr 4, ordynator dr med. W.Kosinski.

(CHOLECYSTITIS,

latent, in mitral dis. & circ. failure, autopsy)

(CARDIOVASCULAR DISEASES, complications,

cholecystitis with empyema, latent, in mitral dis. & circ. failure, autopsy)

(MITRAL VALVE, diseases,

with latent cholecystitis & empyema, autopsy)

RESZKE, Halina; MASSALSKI, Wandalin

Myocardial fragmentation. Polski tygod. lek. 9 no.33:1026-1031
16 Aug 54.

1. Z Pracowni Anat. Pat. Szpitala Miejskiego Nr 4: kierownik:
prof. dr med. Janina Dabrowska.

(MYOCARDIUM,
fragmentation)

RESZKE, Halina

Arteriosclerosis and its sequelae in the light of statistical data of the dissection room of the City Hospital No.4 in Warsaw. Postepy hig. med. dosw. 15 no.6:719-726 '61.

1. Z prosektorium Szpitala Miejskiego nr 4 w Warszawie Kierownik: prof. dr. J. Dabrowska.

(CORONARY DISEASES statist)

RESZKE, Stefania

RESZKE, Stefania (Warszawa, Narbutta 38 m. 2)

intra-arterial blood transfusion. *Pediat. polska* 29 no.4:429-
436 Ap '54.

(BLOOD TRANSFUSION,
*intra-arterial)

RESZKE, Stefania

Case of fecal fistula of the umbilicus in a child. Polski
przegl.chir. 27 no.10:1023-1026 Oct. '55.

1. Z Kliniki Chirurgii Dziecięcej A.M.w Warszawie. Kierownik:
prof. dr. J. Kossakowski Warszawa, ul. Marbutta 38/27.

(UMBILICUS, fistula,

fecal, in child, surg.)

(FISTULA,

fecal, of umbilicus, surg. in child)

RESZKE, Stefania

Hirschprung's disease and other types of chronic intestinal obstructions in children caused by diseases of the large intestine. *Pediat. polska* 31 no.7:819-828 July 56.

1. Z Oddz. Klin. Chirurg. Instytutu Matki i Dziecka w Warszawie
Dyrektor Instytutu: prof. dr. med. Fr. Groer, Kierownik Kliniki:
doc. dr. med. W. Poradowska, Warszawa, ul. Kasprzaka 17, IMiDz.
(MEGACOLON, in infant and child,
(Pol))

(INTESTINAL OBSTRUCTION, in infant and child,
caused by large intestine dis. (Pol))

RESZKE, Stefania

Congenital duodenal obstruction in children. Postepy chir. no.5:42-56 1958.

1. Z Oddzialu Klinicznego Chirurgii Dzieciecej Instytutu Matki i Dziecka w Warszawie (Kierownik Oddzialu: doc. dr med. W. Poradowska) (Dyrektor Instytutu: prof. dr med. F. Groer)

(DUODENUM, abnorm.
obstructive anomalies (Pol))

RESZKE, Stefania

Bronchiectasis in children. Postępy chir. no.5:86-101 1958.

1. Z Oddziału Klinicznego Chirurgii Dziecięcej Instytutu Matki i Dziecka w Warszawie (Kierownik Oddziału: doc. dr med. W. Poradowska)
(Dyrektor Instytutu; prof. dr med. F. Groer)
(BRONCHIECTASIS, in inf. & child,
surg (Pol))

LODZINSKI, Kazimierz; RESZKE, Stefania

Esophageal perforation in children. Pediat. pol. 38 no.3:
281-292 '63.

1. Z Kliniki Chirurgii Dzieciecej Kierownik: prof. dr med.
W. Poradowska i z Zakladu Radiologii Kierownik: doc. dr med.
S. Kubicz Instytutu Matki i Dziecka w Warszawie Dyrektor:
prof. dr med. B. Gornicki.
(ESOPHAGEAL PERFORATION)

JAWORSKA, Mieczyslaw; RESZKE, Stefania

Genetic analysis of primary and secondary cleft palate. Pediat.
pol. 38 no.9:819-825 S '63.

1. Z Kliniki Chirurgii Dziecięcej Instytutu Matki i Dziecka w
Warszawie Kierownik Kliniki: prof. dr med. W. Poradowska.
(CLEFT PALATE) (GENETICS, HUMAN)

RESZKE, Stefania; RONDIO, Zdzislaw; KUBICZ, Stanislaw

Purulent lung changes in children with bronchial foreign bodies. *Pediat. Pol.* 40 no.3:279-287 Mr '65

1. Z Kliniki Chirurgii Dzieciecej (Kierownik: prof. dr. med. W. Poradowska) i z Zakladu Radiologii (Kierownik: doc. dr. med. S. Kubicz) Instytutu Matki i Dziecka w Warszawie (Dyrektor: prof. dr. med. B. Gornicki).

RESZKE, Z.

39

POLAND

KULESZA, Aleksandra: Department of Epidemiology (Zaklad Epidemiologii), PZH (Panstwowy Zaklad Higieny -- State Institute of Hygiene). Director: Prof Dr J. KOSTRZEWSKI, Head of the Institute: Prof Dr E. PRZESMYCKI; with the collaboration of J. GOLBA, T. JOPKIEWICZ, M. ZAGPRZAK, W. KOCIELSKA, M. KOPEC, K. LIPINSKA, R. LUTYNSKI, J. MAKAREWICZ, H. MALYSZKO, K. NEYMAN, A. OLES, S. PESKA, K. POPIELEWICZ, T. RODKIEWICZ, J. ROZWADOWNA, W. SOCZEWICA, S. SZCZESNIAK, D. ZOLNIE-RZOWA all of the Wojewodztwo Health and Epidemiological Stations (Wojewodzkie Stacje Sanitarne-Epidemiologiczne); H. BOBROWSKI, A. GECOW, J. GELBER, M. GRUSZCZYNSKA, H. JASTRZESKA, E. JUZWA, J. KUROSZKIN, Z. RESZKE, R. STANCZYK, J. SYGNATOWICZOWA, Z. SZCZERSKA, K. SZCZYGIELSKI, S. SZYNDLAR, K. ENICOWA, J. WAJSZCZUK, R. WARZECHA all of the Departments of Poliomyelitis Patients (Oddzialy dla Chorych na Polio-myelitis) of the Wojewodztwo Health and Epidemiological Stations; J. ADAMSKI (Poznan), H. DOBROWOLSKA (Warsaw), J. BOCHENSKA (Lodz), M. KOENIG (Krakow); H. DOBROWOLSKA of the Department of Virology (Zaklad Wirusologii) of PZH.

1/2

POLAND

Director: Prof Dr P. PRZESMYCKI, technical aid: A. BACINSKA

"Epidemic Situation of Poliomyelitis in Poland in 1961"

Warsaw, Przegląd Epidemiologiczny, Vol XVI, No 4, 1962,
pp369-375.

Abstract: /Author: English summary modified/ The profound influence on the epidemiology, etiology and clinical picture of poliomyelitis of the introduction of mass immunization with attenuated polio vaccines in 1959 is discussed. Observations on the influence and effect of immunizations with such vaccines on the epidemic situation of poliomyelitis in Poland are reported. 4 tables, 2 diagrams; 5 Polish references.

12/2

RESZLER, Jozsef, dr.

Simplification of regulations issued by the Budapest
Electric Railway Company on the use of transfer tickets.
Kozleked kozl 19 no.48:802-803 1 D '63.

NURIDSANY, János, RESSELY, Miklós, SOMES, Tibor, KRANITZ, Lajos

Work organization, production direction. Munka szervez. 8
no.11:17-19 N '64.

RET, Bohumil; HEGR, Jan.

Discussion on the education of foundry apprentices. Slevarenstvi
12 no.8:327-328 Ag '64

1. Zavody V.I. Lenina National Enterprise, Plzen.

RETAZIE, ACPAD.

21

Coking of peat briquets with low ash content. Árpád, Retazie, and various other peats from various Hungarian peat occurrences (see also 1951, 97-102 (1951)). Analysis of 13 peat samples from various Hungarian peat occurrences showed H₂O 4.7-17.6, ash 7.4-56.8, tar yield 4.3-12.9, and coke yield 39.0-73.2%, the latter 2 values being determined in a 200-ml. Al Fischer-Schader app. at 500°. The suitability of peat from Öst contg. H₂O 10.34, ash 9.56, and total S 3.15% for coking was tested at 760-850° in an updrift V 2A steel retort heated electrically. Peat was previously pressed into briquets weighing about 29 g. by applying a pressure of 1200 kg./sq. cm. The best results were obtained by coking at 765-75°. The best yield was 37.5-41.5%, depending upon the actual temp. used. The coke contained ash 16.45% and had a fuel value of 26,800 B.T.U. The coke produced contained about 40% of the total S in the original peat. Coke briquets showed considerable strength and could be easily transported and stored. The ash of peat coke consisted of H₂O 0.19, SiO₂

20.04, TiO₂ 0.55, Al₂O₃ 19.30, Fe₂O₃ 9.03, CaO 81.05, MgO 6.07, K₂O 1.01, Na₂O 0.69, P₂O₅ 0.21, total S 2.48, and loss on ignition 1.25%.
István Pindly

REYES, G.

Terminology and classification in the field of packaging. p.187.
(Standardizarea, Vol. 9. No. 4. Apr. 1957, Bucuresti, Rumania)

SO: Monthly List of East European Accessions (REAL) Lc. Vol. 6, No. 8, Aug. 1957. Uncl.

1955, p. 1.

NOTES, C. New reserves for reduction of production costs in the field of
locking materials; alteration of cases for general use. P. 9.
Vol. 7, no. 11, Nov. 1955. INDUSTRIA TEXTILA. Bucuresti, Rumania.

DOCID: East European Accessions List (EEAL) LC Vol. 5, No. 6 June 1956

RETEA, G.; LANDMAN, F.

RETEA, G.; LANDMAN, F. Meeting at Leninrad of the ISO/TC55 Technical Committee
for the international standardization of size and defects of resinous lumber. p. 39.

Vol. 8, no. 11, Nov. 1956

STANDARDIZAREA

TECHNOLOGY

Bucuresti, Rumania

So: East European Accession, Vol. 7, no. 3, March 1957

RECEIVED, N.Y., APR. 1961.

Problems on the increase of labor productivity, reduction of cost
price, and improvement of the quality in the furniture industry.
The document is no. 9: 344-344. '61.

RETEGAN, G.

The devils from the Tsibles River valley.

P. 27 (REVISTA DE FOLCLOR) (Bucuresti, Rumania) Vol. 2, no. 4. 1957

30: Monthly Index of East European Accessions (EEAI) LC Vol. 7, No. 5. 1958

RETEA, N.

Application of lacquer in the furniture industry by flooding process.
p. 376.

INDUSTRIA LEMNULUI. (Asociatia Stiintifica a Inginerilor si Tehnicienilor
din Romani si Ministerul Industriei Lemnului) Bucuresti, Rumania
Vol. 8, no. 10, Oct. 1959.

Monthly List of East European Accessions (EEAI) LC, Vol. 9, no. 2,
Feb. 1960.

UNCL.

RETORSKI, J.

RETORSKI, J. General principles of management of machines and equipment in the restaurant industry. p. 21.

Vol. 11, no. 9, Sept. 1956
PREMYSL GASTRONOMICZNY
TECHNOLOGY
Warsaw, Poland

So. East Accession Vol. 6, no. 2, Feb. 1957

PAWLIKOWSKI, Tadeusz; SIEROSZEWSKI, Jozef; BOJANOWICZ, Kazimierz;
RETERSKI, Zdzislaw

A case of true hermaphroditism with unusual formation of
the urogenital system. Endokr. pol. 14 no.4:317-327 '63.

1. I Klinika Chorob Wewnętrznych A.M. w Łodzi Kierownik: prof.
dr J.W. Grott Zakład Endokrynologii A.M. w Łodzi Kierownik:
prof. dr T. Pawlikowski I Klinika Położnictwa i Chorob Kobiecth
A.M. w Łodzi Kierownik: prof. dr J. Sieroszewski.
(HERMAPHRODITISM)

RETORSKI, Zdzislaw; KOWIACZYK, Jerzy

Intracutaneous pregnancy test. Gin. polska 28 no.6:705-708 Nov-Dec 57.

1. Z Kliniki Poloznictwa i Chorob Kobietych A. M. w Lodz. Kierownik
prof. dr med. J. Sierowzewski. Adres: Klinika Poloznictwa i Chorob
Kobietych A. M. Lodz, ul. Curie-Sklodowskiej 15-17.

(PREGNANCY TESTS

intradermal colostrum test (Pol))

RETEL'SKAYA, L.V.

Early use of medical gymnastics in closed typical fractures of the radius. Vop.kur., fizioter.i lech.fiz.kul't. 28 no.1:14-18 '63. (MIRA 16:4)

1. Iz Rostovskogo oblastnogo vrachebno-fizkul'turnogo dispansera (glavnyy vrach M.G.Zak). (RADIUS--FRACTURE) (GYMNASTICS, MEDICAL)

POLAND/Chemical Technology. Chemical Products
and Their Applications. Ceramics. Glass.
Binding Materials. Concrete.

H-13

Abs Jour : Ref Zhur-Khimiya, No 7, 1959, 24219

Author : Reterski, Z.

Inst : -

Title : Manufacture of Lime.

Orig Pub : Budown. wiejskie, 1958, 10, No 7, 26-29

Abstract : A comprehensive presentation of lime technology and manufacture is given. Roasters of various systems, employed in the manufacture of lime are described together with technological and economic characteristics.
-- B. Lewman

Card : 1/1

PHOTO, A. M.

Radiation balance of the Rybinsk Reservoir. Vest. Mosk. un.
Ser. 5: Geog. 19 no. 3: 73-75 Rybinsk '64. (MIRA 17:6)

D'YAKONOV, K.N.; RETEYUM, A. Yu.

Local climate of the Rybinsk Reservoir. Izv. AN SSSR Ser.
geog no.4:47-54 '64 (MIRA 17:8)

1. Institut geografii AN SSSR.

LENTSEVICH, Stanislav [Lencewicz, Stanislaw], prof. [deceased]; KONDRATSKIY,
YEZHI [Kondracki, Jerzy], prof.; ILINICH, Yu.V. [translator];
RADVILLOVICH, K.A. [translator]; TSESEL'CHUK, Yu.N. [translator];
KAMANIN, L.G., red.; RETEYUM, Yu.Ya., red.; SMIRNOVA, N.I., tekhn.red.

[Physical geography of Poland] Fizicheskaya geografiya Pol'shi.
Obrabotal i dopolnil Ezhi Kondratskii. Pod red. L.G.Kamanina.
Moskva, Izd-vo inostr.lit-ry, 1959. 398 p. (MIRA 12:9)

1. Geograficheskiy institut Varshavskogo universiteta, kafedra
fizicheskoy geografii (for Kondratskiy).
(Poland--Physical geography)

KRATTSEB, P.A. [Kratzer, P.A.],; MIKHELEVICH, Ye.Ye.[translator],; RNTBYUM,
Yu.Ya., red.; KLIMENKO, S.V., tekhn. red.

[Urban climate] Klimat goroda. Moskva, Izd-vo inostr. lit-ry.
1958. 238 p. [Translated from the German]. (MIRA 11:11)
(Climatology)

BERGER, Ya.M. [translator]; GAVRILOV, V.G., [translator]; MITBREYT, B.A.
[translator]; MURZAYEV, E.M., red.; RETEYUM, Yu.Ya., red.;
KLIMENKO, S.V., tekhn.red.

[Physicogeographic zoning of China; a collection of articles.
Translated from the Chinese] Fiziko-geograficheskoe raionirovanie
Kitaya; sbornik statei. Predisl. i red. E.M.Murzaeva. Moskva,
Izd-vo inostr. lit-ry. No.1. 1957. 235 p. (MIRA 11:5)
(China--Zoning maps)

GYLYBOV, Zh.S. [Gulubov, Zh.]; IVANOV, Il.; PENCHEV, P.; MISHEV, K.;
NEDELCHIEVA, A.; DVORYADKIN, A.I., kand.geograf.nauk [translator];
RETEYUM, Yu.A., red.; BELEVA, M.A., tekhn.red.

[Physical geography of Bulgaria] Fizicheskaya geografiya
Bolgarii. Moskva, Izd-vo inostr.lit-ry, 1960. 361 p. Translated
from the Bulgarian. (MIRA 14:3)

1. Direktor Instituta geografii Bolgarskoy akademii nauk,
chlen-korrespondent Bolgarskoy akademii nauk (for Gylybov).
(Bulgaria--Physical geography)

GYLYBOV, Zh.; IVANOV, Il.; PENCHEV, P.; MISHEV, K.; NEDELICHEVA, V.;
DVORYADKIN, A.I., kand.geograf.nauk [translator]; RETEYUM, Yu.Ya.,
red.; BELEVA, M.A., tekhn.red.

[Physical geography of Bulgaria] Fizicheskaya geografiya Bolgarii.
Moskva, Izd-vo inostr.lit-ry, 1960. 361 p.

(MIRA 14:4)

1. Direktor Instituta geografii Bolgarskoy akademii nauk, chlen-
korrespondent Bolgarskoy akademii nauk (for Gylybov).
(Bulgaria--Physical geography)

RETEZAR, A.

2

Hungarian Technical Abst.
Vol. 5 No. 4 1953

26. Production of producer gas from peat - *Generátor gáz előállítás a nádából* - A. Retezár and M. Weltner. (Hungarian Power Economy - *Magyar Energetika* - Vol. 5, 1952, No. 12, pp. 358-363, 1 fig., 10 tabs.)

Experiments were conducted with peat in a 900 mm i. d. and 2905 mm high grateless producer. That no disturbances occurred was due mainly to the proper handling of the slag. The quantity of fired peat calculated for the cross section of the producer was 73.6 kg per sq m-hr for low output and 147 kg per sq m-hr for high output. The quantity of gas produced from peat was 1.3 to 1.4 cu m per kg. heat of combustion (dependent upon output) 1200 to 1400 kcal per cu m. The gas petrol content of the gas amounted to 2.27 g per cu m. 60 to 62 per cent of the calorific power of peat could be utilized in the gas. Tar was separated by a disintegrator. Part of the tar settled in the dust catcher, the rest remained in the gas. 61.78% of the entire amount of the forming tar could be extracted. Analytical data on peat, tar, ammonia water and clinker are furnished.

A. Deliczay

VIDA, Miklos; KORANYI, Gyorgy, dr.; SZILAGYI, Antal; DESTEK, Endre;
FERENCZ, Mihaly; DITZ, Erno; DIGSZECHY, Daniel, dr.; SCHUNK, Rudolf;
SIKLOSI, Jozsef; RETEZAR, Arpad

Research, planning, and education in the gas industry. Energia es
atom 13 no.3:112-116 Mr '60.

RETEZAR, Arpad; BUNYITAI, Janos; SARKADI, Janos; KERPELY, Antal;
ZAMORY, Eva

Investigations of ammonium humate containing organic compounds
in culture vessels. Veszprem vegyip egy kozl 3 no.1/4:59-78 '59

1. Veszpremi Vegyipari Egyetem Asvanyolaj- es Szentotechnologia
Tanszek (for Retezar, Bunyitai and Kerpely). 2. Magyar Tudos-
manyos Akademia Talajtani es Agrokemiai Kutato Intezete (for
Sarkadi). 3. Orszagos Mezogazdasagi Minosegvizsgalo Intezet
(for Zamory).

RETEZAR, Arpad

Oxidation of humic acids with hydrogen peroxide. ~~Veszpre~~
vegyp egy kozl 3 no.1/4:1-46 '59

Oxidation of humic substances of the peat and analysis of
the oxidation products. Ibid:267-268

1. Veszpremi Vegyipari Egyetem Asvanyolaj- es Szentechnologia
Tanszek.

RETEZAR, Arpad, prof., dr. (Budapest, XI., Bartok Bela ut 86)

Investigations on the oxidation of coals. Acta chimica Hung
37 no.3:339-344 '63.

1. Technical University for Chemical Industry, Veszprem.

RETEZAR, Arpad (Veszprem)

Carbon monoxide investigations. Kem tud kozl MTA 16 no.1:115 '61.

1. Veszpremi Vegyipari Egyetem.

(Carbon monoxide)

RETEZAR, J.

88. Designing of level road crossings -- J. Retezar.
(Közlekedéstudományi Szemle -- Vol. 4, 1954, No. 12, pp.
441--445; 4 figs.)

MT Due to the immense growth of automobile traffic, railway and public road level crossings must be designed with greater care; it is important that the designs be regulated. The guiding principles governing the level crossings of public roads and 1435, 760 and 600 mm gauge railway lines as well as their up-to-date design are discussed. The problem is divided into two groups: (1) guiding principles for general design and safety measures, (2) the designs for permanent way, road surface and foundation.

RETEZAR, J.

"Standardization of the Superstructure of Narrow-Gauge Railroads",
P. 228, (KOZLEKEDESTUDOMANYI SZEMLE, Vol. 4, No. 6, June 1954, Budapest,
Hungary)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 3, No. 12,
Dec. 1954, Uncl.

REITER, J.

Designing of level crossings. p. 441. (KOZLEKESZETUDOMANYI SZEMLE, Budapest, Hungary), Vol. 4, No. 12, Dec. 1954.

EO: Monthly List of East European Accessions, (EEAL), IC, Vol. 4, No. 5, May 1955.

RETEZEMNU, —

C. I. URECHIA, Bull Acad Med Roumanie, 1936, 1, 141-144

5635. Strychnine Poisoning: Frontal Pseudotumoral Syndrome - Nov 59

Intoxicația cu stricină: sindrom pseudotumoral frontal - Retezeanu A.,
Vasilii C. and Vlad T. Serv. VI de Psihiat., Spit. 'Prof. Gh. Marinescu',
București - NEUROLOGIA (București) 1958, 3/6 (487-490)

A woman who had ingested 100-150 mg. of strychnine 10 days later presented:
fronto-occipital cephalgia; dysarthria; exophthalmos; hypersomnia; ataxia with
retropulsion; hyperreflexia in the O.T. reflexes; reflexes of Gordon and Oppenheim
on the left; bradycardia; euphoria and joking addressed to herself; indifference to
her own illness; papilloedema with little retinal haemorrhage; and haematuria and
albuminuria. On the 12th day, chloropsia was noted. The authors present a general
review of this rare intoxication, and consider the possible mechanisms of origin of
the mental disturbances: vasomotor disorders with consequent deficiencies in the
cerebral circulation; cerebral haemorrhage resulting from convulsions; fixation of
the -OH group in nerve-cells, with subsequent degeneration.

Pugcariu - Orașul Stalin

EXCERPTA MEDICA Sec 8 Vol 12/3 Neurology Mar 59

1535. CONSIDERATIONS IN CONNECTION WITH A CASE OF TUBEROUS SCLEROSIS - Considerații pe marginea unui caz de scleroză tuberoasă - Retezeanu A. and Elias S. - NEUROL. PSIHIAT. NEUROCHIR. 1957, 2/3 (216-220)
 Mus. 4

The case is presented of a 19-year-old girl suffering from tuberous sclerosis in whom mental weakness, disturbances of behaviour and generalized epileptic crises were found. Further findings on examination were: adenomatous formations on the face, papillomatous formations in the interscapulovertebral region and in the left renal cavity; wheals on the thighs; a grain-leather appearance of the skin of the back; bilateral posterior polar cataract and persistence of the epipapillary membrane in the left eye; adenoid vegetations, PEG revealed an internal hydrocephalus with cortical atrophy in the rolandic, frontal and occipital regions. EEG showed a normal tracing. On biopsy, adenoid vegetations and marked perivascular sclerosis in the deep layers were detected and biopsy of the interscapulovertebral region disclosed a perivascular and subepithelial chronic inflammatory process, and a picture of capillary and arteriolar endotheliosis. The patient's development had been normal up to the age of 3, when, after a febrile disease with psychical disturbances lasting 2 months (probably meningo-encephalitis), the crisis of epilepsy and the physical disturbances appeared. The child's father was an alcoholic. It is believed that the febrile disease which the patient had at the age of 3 may have been responsible for the development of the tuberous sclerosis, and that it was either an infectious disease of viral nature which on a deficient soil (alcoholic father) brought about a tuberous sclerosis in early childhood, or it was the meningo-encephalitis, which was responsible for the disease in question (a viral origin of tuberous sclerosis).

Seltan - Orasul-Stalin

LAC-RTIA MEDICA Sec 8 Vol 11/7 Neur. & Psy. July 58

3243. CONSIDERATIONS ON THE NOSOLOGICAL CLASSIFICATION OF SCHIZOPHRENIA - Considerații asupra încaadrării nosologice a schizofreniilor - Parhon-Ștefănescu C., Retezeanu A. and Vujdea I. Clin. de Psihiat. I.M.F., București - NEUROL. PSIHIAT. NEUROCHIR. 1957, 2/3 (203-212)

The multiple and varied factors that are found in the aetiology of schizophrenia as well as the multiplicity of the symptoms and the variations in its onset and cause render the notion of schizophrenia as a nosological entity debatable. Experience has shown that the clinical picture sometimes established itself without apparent cause, sometimes after a state of confusion, a trauma, etc. In the last mentioned cases, the schizophrenic picture usually establishes itself after disappearance of the acute symptoms. Based on a series of cases, an attempt is made at demonstrating that schizophrenia should not be considered a nosological entity but a syndrome whose picture comprises a whole series of different affections from the aetiological and physiopathological points of view. It is considered that the nature of cases where the disease has an insidious onset and where patients have presented certain psychical peculiarities from childhood, differs from that of cases in which the patient has not presented any psychopathological phenomenon until the appearance of the affections releasing the schizophrenic symptoms. Maintaining a nosological unity for affections of such a different nature as regards aetiology, course, etc., constitutes an impediment not only for the theoretical researches but also for the practical applications (prophylaxis, treatment).

RETEZIANU, --,
C. I. URECHIA, Bull. Acad. Med. Roumanie 1, 141-4 (1936)

SOFONEA, I.; CALCANDI, V.; CIROPOL, Josefina; RETZEANU, Maria

Contributions to the dynamics of the accumulation of cardiotonic glycosides in the leaves of *Digitalis purpurea* L. Rumanian M. Rev. 2 no.2:94 Apr-June 58.

(DIGITALIS

purpurea, dynamics of accumulation of cardiotonic glycosides in leaves)

RAICU, P.; CONSTANTINESCU, D.; OLTEANU, V.; RETEZIANU, M.; TARPO, E.

Contributions to the study of certain polyploid lines of
Datura stramonium L., obtained with the aid of colchicine. Rev
biol 7 no.3:381-394 '62.

1. Institut de biologie "Traian Savulescu", Laboratoire de
génétique végétale. 2. Membre du Comité de rédaction, "Revue de
biologie" (for Raicu).

RETEA, N., arh. int.

Some problems on labor productivity increase, cost price reduction,
and quality improvement in the furniture industry. Pt 2. Ind lemnu-
lui 14 no.10:375-381 0 '63.

BELA, E., dr.; ROMILA, A., dr.; TUPAGEA, D., dr.; PIRKE, St., dr.;
ROMILA, A., dr.; ELIAS, S., dr.; MIRONTOV, V., dr.; RETEZKANU, Al.
S., dr.

Considerations on the evolution of clinical forms of 250 cases of
schizophrenia. Nuerologia (Bucur) 10 no.2:109-118 Mr-Apr'65.

1. Lucrare efectuata in Clinica de psihiatrie, Bucuresti.

RETEZEANU, MARIA

CONF. DANTINESCU, D. Gr.

ROMANIA

MD

Institute for the State Control of Medicines and Pharmaceutical Research
(Institutul pentru Controlul de Stat al Medicamentului si Cercetari
Farmaceutice).

Bucharest, Farmacia, Revista Uniunii Sovietice de Stiinta Medicale
din MPR, No 10, Vol X, Oct 67, pp 637-644.

"Quantitative Testing of the Cytostatic Action of Interfering Drugs."
(Paper Compiled at the Institute for the State Control of Medicines
and Pharmaceutical Research.)

Co-author:

RETEZEANU, Maria, Pharmacist, Institute for the State Control of
Medicines and Pharmaceutical Research.

1 of 2

RETEZEANU, Maria

2

Bucharest, Romania, Vol 1, No 5, May 62 (continued)

7. "Method for the Determination of Guanine Content in Osmotic, Part 6, VIZIUNU, Work performed at the "Galenica" Drug Factory (Fabrica de Medicamente "Galenica") pp 297-298.

8. "Method for the Determination of Fritular Acrydide and Fritular and Sebaceous Acid Systems in the Air and in Mixtures, Part 6, VIZIUNU, Work performed at the Laboratory of the "Bucharest" Plastic Factory (Laboratorul Plasticii de Materiale Plastice Bucharest); pp 299-303.

9. "Data on the Changeable Content of Active Principles of Some Vegetable Drugs Due to Preservation," Maria RETEZIANU and Part 6, CONSTATINISCU, Work performed at the Institute for the State Control of Drugs and Pharmaceutical Industrialization (Institutul pentru Controlul Stat al Medicamentului si Industriei Farmaceutice), pp 305-313.

103
CNO, 2000-3

RETEZEANU, MME.

C.I. URECHIA, Bull. acad. med. Roumanie 4 (1937) 547-50

204. COKING OF PEAT BRIQUETTES WITH LOW ASH CONTENTS. Rótosár, A. (Magyar Kem. Folyóirat (Hungarian Chem. J). 1951, vol. 57, 97-102; abstr. in Chem. Abstr., 1951, vol. 46, 10543, 10544). Analysis of 13 peat samples taken from various Hungarian peat occurrences showed water 4.7-17.6, ash 7.4-56.8, tar yield 4.3-12.0, and coke yield 39.0-73.3%, the latter 2 values being determined by distillation in a 200 ml. Al Fischer-Schader apparatus at 500°. The suitability for coking of peat from ²⁵¹ containing water 10.84, ash 9.56, and total S 3.15% was tested at 750-850° in an experimental V 2A steel retort heated electrically. Peat was previously pressed into briquettes weighing about 29 g by applying a pressure (300) kg/sq. cm. The best results were attained by coking at 765-775°. The coke yield was 37.9-43.4%, depending upon the actual temperature used. The coke contained ash 16.45% and had a fuel value of 26,000 B.Th.U. The coke produced contained about 40% of the total S in the original peat. Coke briquettes showed considerable strength and could be easily transported and stored. The ash of peat coke consisted of water 0.16, SiO₂ 26.94, TiO₂ 0.55, Al₂O₃ 19.30, Fe₂O₃ 9.06, CaO 31.65, MgO 6.07, K₂O 1.01, Na₂O 0.69, P₂O₅ 0.21, total S 2.48, and loss on ignition 1.25%.

C.A.

MAGYAR KÉMIAI POLYGIRAT
HUNGARIAN JOURNAL OF CHEMISTRY
VOL 57 --1951
No. 4, April

1. *Referring*

Coking domestic peat briquettes with
low ash content 97 102

U.S. - S.S. METALLURGICAL LITERATURE CLASSIFICATION

1ST AND 2ND ORDERS																										3RD AND 4TH ORDERS																									
PROCESSES AND PROPERTIES																										NOTES																									
MAGYAR TECHNIKA HUNGARIAN ENGINEERING 1951 No. 4, April A. Pidinok and A. Heterde Utilization of sewage and waste water																																																			
AS - S.L.A. METALLURGICAL LITERATURE CLASSIFICATION																																																			
REGIONAL DIVISION																																																			
SUBJECT																																																			
REMARKS																																																			

(A)

2/

The chemistry of turf coaling. *Annales Kém. Magyar. Akad. Sci. Budapesti*
Nem. Lapja 5, 242-7 (1950).—A review. István Földi

21

Caking of peat briquets with low ash contents. *Árpád Retzler* (Nébihárványi Kutatóintézet, Veszprém, Hungary). *Magyar Kém. Folyóirat* 57, 67-102 (1961).—Analysis of 15 peat samples taken from various Hungarian peat occurrences showed H₂O 4.3-17.6, ash 7.6-68.1, tar yield 4.3-12.6, and coke yield 23.6-73.3%, the latter 3 values being detd. by distn. in a 200-ml. Al Fischer-Schander app. at 200°. The suitability of peat from Ózd contg. H₂O 10.54, ash 9.89, and total S 2.10% for caking was tested at 700-800° in an enptl. V 2A steel retort heated electrically. Peat was previously ground into briquets weighing about 50 g. by applying a pressure of 1000 kg./sq. cm. The best results were obtained by caking at 700-75°. The coke yield was 37.9-49.4%, depending upon the actual temp. used. The coke contained ash 18.45% and had a fuel value of 20,000 B.T.U. The coke produced contained about 60% of the total S in the original peat. Coke briquets showed considerable strength and could be easily transported and stored. The ash of peat coke consisted of H₂O 0.16, SiO₂

26.94, TiO₂ 0.55, Al₂O₃ 19.29, Fe₂O₃ 9.05, CaO 21.65, MgO 6.07, K₂O 1.01, Na₂O 0.60, P₂O₅ 0.31, total S 2.48, and loss on ignition 1.25%.
István Fényi

Sponsoring Agency: Institut Akademiil nauk SSSR. Vsesoyuznyye Nauchnoye Observatorio Iuzn D.I. Naizel'yeva and Goshchitskennyy ordena Kishinokhoye observatorio Iuzn D.I. Naizel'yeva.

Editorial Board: A.I. Avgustinikh, V.P. Barzdinskiy, M.A. Perbrodov, O.K. Potvinikh,
V.Vargin, A.G. Vlasov, K.G. Yevtyeg'ev, A.K. Lebedev, M.A. Mavrukov, V.S.
Molchanov, R.L. Myuller, Ye.A. Poruy-Kashits, Gintaras, N.A. Turovskiy, V.A.
Plorentskaya, A.K. Falkind; Ed. of Publishing House: I.V. Suvorov; Tech. Ed.:
V.T. Bochevov.

PURPOSE: This book is intended for researchers in the science and technology of classes.

[illegible]

Vitreous State (Cont.)	801/9035	
Kozlovskaya, Ye.I. Dependence of Elastic Properties of Glasses on Composition		343
Discussion		343
Color of Glasses and Effect of Radiations		
Vargin, V.A. Color of Glass and Effect of Radiations		345
Orlov, N.Y. Role of Additives and Crystallinity of Network in Mechanism of Quartz Glass Tinting Under the Action of Gamma Rays		346
Denilov, V.P., and N.V. Borshak. Variation in the Absorption Spectrum of Glasses of Simple Composition Under the Action of Gamma Rays		351
Brukhovskikh, S.M. On the Resistance of Commercial Glasses to the Influence of Radiative Radiations		355
Karapetov, G.O. Effect of Glass Structure on the Spectral and Chemical Properties of Cerium Ions		360
Card 15/22		
Vitreous State (Cont.)	801/9035	
Asarov, K.P., V.V. Palamkina, S.B. Grechanova, and V.A. Lyusenedarshy. Structure and Properties of Iron-Containing Glasses		365
Vlasova, M.I., Ye.I. Galant, and A.A. Kifeli. Absorption Spectrum of the Co ²⁺ Ion as the Coordination Indicator of Boron and Aluminum in Silica Glasses		369
Vargin, V.V., and T.I. Veynberg. Color of Glasses in Connection With Structure		372
Discussion		377
Mechanical and Some Technical Properties of Glasses		
Bartenev, G.M. Structure and Mechanical Properties of Glass and Glass Fiber		380
Kozlovskaya, Ye.I. Elastic Properties of Glass in Relation to Temperature		387
Card 16/22		
Vitreous State (Cont.)	801/9035	
Aslanova, M.S. Mechanical Properties of Glass Fibers		391
Ratobyl'skaya, V.A., and V.V. Tarnanov. On Depolymerization of Inorganic Glasses and Mechanical Resistance		396
Reiger, Zh. Determining the Density and Viscosity in Time for Normal Jena Glass 16 III in the Transformation Range		399
Ponomarev, I.P. Importance of the Glass-Forming Phase in the Formation of the Ceramic Body and Gasent Climber		405
Yermolayeva, Ye.V. Physicochemical Study of Fusions of Fire-Resistant Oxides		407
Prianov, V.A. Structure of Glass and the Nature of Soldering It With Metals		412
Discussion		415
Card 17/22		

RETHATI, Laszlo, dr.

Review of a lecture. Melyepitestud szemle 15 no.3:144-3 of
cover Mr '65.

RETHATI, Laszlo, a muszaki tudományok kandidátusa

Engineering aspects of soil capillarity. Visugyi kezl no.1:112-
146 '60.

RETHATI, Laszlo, muszaki tudomanyck kandidatusa

Measuring the swayings and relative movements of buildings. Geod.
kart. 12 no.1:32-37 '60. (EEAI 9:5)
(Hungary--Building)

1
VARDAY, Gyorgy, dr.; BICZOK, Imre; OCSVAR, Rezső; LANTOS, Zoltan; SZIMELY,
Károly; BERENYI, Akos, dr.; FEHER, Gyula; GALLI, László; BAKOS,
László; CZIGLINA, Vilmos; GABOS, Gyorgy; SZILAGYI, Gyula; RONAI,
András; KOVACS, Gyorgy; BACHMANN, Alfred; STEGMÜLLER, József;
RETHATI, László; NAGY, Zoltan.

Hydrological questions of the construction industry in Hungary.
Hidrologiai közlony 36 no.3:169-170 Je'56.

1. "Hidrologiai Közlony" szerkeszto bizottsagi tagja (for Galli).
2. "Hidrologiai Közlony" felelos szerkesztoje (for Kovacs).

RETHATI, L.

"Statistical processing of the soil-sinking measurements of the Institute of geodesy and Geophysics." p. 122

MELYEPITESTUDOMANYI SZEMLE. (Kozlekedes- es Kozlekedespitestudomanyi Egyesulet) Budapest, Hungary, Vol. 9, No. 3, Mar. 1959.

Monthly List of East European Accessions (EEAI) LC, Vol. 8, No. 6, June 1959
Uncl.